Hide Items Restore Clear Cancel

DATE: Thursday, July 26, 2007

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=B	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR	
	L30	L29 and 14	26
(P)	L29	(minimiz\$3 or eliminat\$3 or mitigat\$4) near3 (cross adj talk\$3) and ((differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$ or transceiver\$))) and ((common near2 mode\$) or (unbalanc\$3 near2 mode\$) or (single near4 mode\$))	. 35
	L28	(minimiz\$3 or eliminat\$3 or mitigat\$4) near3 (cross adj talk\$3) near5 ((differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$ or transceiver\$)))	0
	L27	((125 or 11) and 14) not (117 or 118 or 113 or 121)	341
[**	L26	(minimiz\$3 or eliminat\$3 or mitigat\$4) near3 ((cross adj talk\$3) or noise or interferenc\$2) same ((differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$ or transceiver\$)))	22
200	L25	(minimiz\$3 or eliminat\$3 or mitigat\$4) near3 ((cross adj talk\$3) or noise or interferenc\$2) and ((differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$ or transceiver\$)))	215
<i>y</i>	L24	(minimiz\$3 or eliminat\$3 or mitigat\$4) near3 ((cross adj talk\$3) or noise or interferenc\$2) and ((mulitiple\$ or pluralit\$3) near4 (differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$ or transceiver\$)))	2
*	L23	((cross adj talk\$3) or noise or interferenc\$2) same ((mulitple\$ or pluralit\$3) near4 (differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$ or transceiver\$)))	. 3
	L22	121 not (117 or 118 or 113)	168
	L21	L20 and 14	220
	L20	((cross adj talk\$3) or noise or interferenc\$2) same (differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$ or transceiver\$))	274
4.1	L19	5978417.pn. or 6130575.pn. or 6400616.pn. or 6534716.pn. or 6826390.pn.	10
<u>, </u>	L18	L17 and 14	69
	L17	(filter\$3 near4 (differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$ or transceiver\$)))	87
	L16	(filter\$3 near4 (differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$ or trasceiver\$)))	87
	L15	(filter\$3 near4 (differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$))) and (unbalance\$2\$3 or (non adj differential\$2))	2
	L14	(filter\$3 near4 (differential near3 line\$ near3 (driver\$2 or transmitter\$ or receiver\$))) same (unbalance\$2\$3 or (non adj differential\$2))	. 0
		L12 and (375/\$4.ccls. or 333/\$4.ccls. or 327/\$4.ccls. or 379/\$4.ccls. or 307/	•
		·	

	L13	\$5.ccls.)	93
	· L12	L10 and 14	355
	L11	L10 and 14 and 15	7
	L10	((differential\$3 or balance\$2) near3 (mode or dirver\$2 or transmitter\$ or transceiver\$)) same ((unbalance\$2\$3 or (non adj differential\$2)) near3 (mode or transmitter\$ or transceiver\$ or driver\$))	497
	L9	((differential\$3 or balance\$2) near3 (mode or dirver\$2 or transmitter\$ or transceiver\$)) same ((unbalance\$2\$3 or (non adj differential\$2)) near3 (mode or transmitter\$ or transceiver\$)) same (plug\$4 or swap\$3 or (line\$ near2 card\$))	7
	L8	((differential\$3 or balance\$2) near3 (mode or dirver\$2 ortransmitter\$ or transceiver\$)) same ((unbalance\$2\$3 or (non adj differential\$2)) near3 (mode or transmitter\$ or transceiver\$)) same (plug\$4 or swap\$3 or (line\$ near2 card\$))	6
	L7	L6 and l4	20
•	L6	((differential\$3 or balance\$2) near3 (mode or transmitter\$ or transceiver\$)) same ((unbalance\$2\$3 or (non adj differential\$2)) near3 (mode or transmitter\$ or transceiver\$)) same (filter\$3)	39
	L5	333/18.ccls. or 333/28R.ccls. or 375/219.ccls. or 375/220.ccls. or 375/222.ccls. or 375/285.ccls. or 375/295.ccls. or 375/296.ccls. or 375/346.ccls. or 375/350.ccls.	14388
	L4	@ad<=20040330	25771191
	L3	((differential\$3 or balance\$2) near3 (mode or transmitter\$ or transceiver\$)) same ((unbalance\$2\$3 or (non adj differential\$2)) near3 (mode or transmitter\$ or transceiver\$)) same (plug\$4 or swap\$3 or (line\$ near2 card\$))	7
	L2	((differential\$3 or balance\$2) near3 (mode or transmitter\$ or transceiver\$)) same ((unbalance\$2\$3 or (non adj differential\$2)) near3 (mode or transmitter\$ or transceiver\$)) same (backplane\$)	0
	L1	((differential\$3 or balance\$2) near3 (mode or transmitter\$ or transceiver\$)) same ((unbalance\$2\$3 or (non adj differential\$2)) near3 (mode or transmitter\$ or transceiver\$))	494

Hide Items Restore Clear Cancel

DATE: Thursday, July 26, 2007

Hide?	<u>Set</u> Name	Query	<u>Hit</u> <u>Count</u>
		PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR	·
	L10	L9 and 17	76
	L9	(((single\$ near2 mode) or (common near2 mode\$)) near3 (driver\$ or transmitter\$ or transceiver\$ or receiver\$)) and (cross near3 talk)	109
	L8	L7 and L6	32
	L7	@ad<=20040330	25771191
	L6	(((single\$ near2 mode) or (common near2 mode\$)) near3 (transmitter\$ or receiver\$ or transceiver\$)) and(differential\$3 near4 (cable\$ or wire\$ or line\$)) and (cross near3 talk)	48
	L5	(((single\$ near2 mode) or (common near2 mode\$)) near3 (transmitter\$ or receiver\$ or transceiver\$)) same (differential\$3 near4 (cable\$)) and (cross near3 talk)	0
	L4	(((single\$ near2 mode) or (common near2 mode\$)) near3 (transmitter\$ or receiver\$ or transceiver\$)) same (differential\$3 near4 (line\$ or wire\$\$)) and (cross near3 talk)	9
	. L3	(((single\$ near2 mode) or (common near2 mode\$)) near3 driver\$) same (differential\$3 near4 (line\$ or wire\$\$)) and (cross near3 talk)	. 5
	L2	((((single\$ near2 mode) or (common near2 mode\$)) near3 driver\$) same (differential\$3 near3 mode\$ near3 driver\$)) and (cross near3 talk)	. 3
	L1	(((single\$ near2 mode) or (common near2 mode\$)) near3 driver\$) same (differential\$3 near3 mode\$ near3 driver\$) same (cross near3 talk)	0

Hide Items Restore Clear Cancel

DATE: Thursday, July 26, 2007

Hide?	<u>Set</u>	Ouery	Hit
	Name		<u>Count</u>
	DB=F	PGPB, $USPT$, $USOC$, $EPAB$, $JPAB$, $DWPI$, $TDBD$; $PLUR = YES$; $OP = OR$	
	L8	L7 and l6	32
	L7	@ad<=20040330	25771191
P	L6	(((single\$ near2 mode) or (common near2 mode\$)) near3 (transmitter\$ or receiver\$ or transceiver\$)) and(differential\$3 near4 (cable\$ or wire\$ or line\$)) and (cross near3 talk)	48
[***]	L5	(((single\$ near2 mode) or (common near2 mode\$)) near3 (transmitter\$ or receiver\$ or transceiver\$)) same (differential\$3 near4 (cable\$)) and (cross near3 talk)	0
2.	L4	(((single\$ near2 mode) or (common near2 mode\$)) near3 (transmitter\$ or receiver\$ or transceiver\$)) same (differential\$3 near4 (line\$ or wire\$\$)) and (cross near3 talk)	9
	L3	(((single\$ near2 mode) or (common near2 mode\$)) near3 driver\$) same (differential\$3 near4 (line\$ or wire\$\$)) and (cross near3 talk)	5
	L2	((((single\$ near2 mode) or (common near2 mode\$)) near3 driver\$) same (differential\$3 near3 mode\$ near3 driver\$)) and (cross near3 talk)	3
, <u>, , , , , , , , , , , , , , , , , , </u>	L1	(((single\$ near2 mode) or (common near2 mode\$)) near3 driver\$) same (differential\$3 near3 mode\$ near3 driver\$) same (cross near3 talk)	0



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

Search Session History

Thu, 26 Jul 2007, 3:19:01 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Search Query Display



Recent Search Queries

- #1 (((line* <near/2> (driver* or transmitter* or receiever* or transceiver*)) <sentence> swap*)<in>metadata)
- (((differential* <near/2> (driver* or transmitter* or receiever* or
 transceiver*)) <sentence> (swap* <or> pulg* <or> card*))
 <in>metadata)
- (((line* <near/2> (driver* <or> transmitter* <or> receiever* <or>
 transceiver*)) <sentence> (swap* <or> plug* <or> card*))
 <in>metadata)
- ((((line* <near/2> (driver* <or> transmitter* <or> receiever* <or>
 transceiver*)) <sentence> (swap* <or> plug* <or> card*))
 <in>metadata)
- ((((line* <near/2> (driver* <or> transmitter* <or> receiever* <or>
 transceiver*)) <sentence> (swap* <or> plug* <or> card*))
 <in>metadata)
- ((((line* <near/2> (driver* <or> transmitter* <or> receiever* <or>
 #6 transceiver*)) <sentence> (swap* <or> plug* <or> card*))
 <in>metadata)
- (((differential* <near/3> (driver* <or> transmitter* <or>
 #T receiever* <or> transceiver*)) <sentence> (swap* <or> plug*
 <or> card*))<in>metadata)
- (((differential* <near/3> (driver* <or> transmitter* <or>
 receiever* <or> transceiver*)) <and> (swap* <or> plug* <or> card*))<in>metadata)
- (((differential* <near/3> (driver* <or> transmitter* <or>
 #9 receiever* <or> transceiver*)) <and> (swap* <or> plug* <or> card*))<in>metadata)



.

Help Contact Us Privacy & :

© Copyright 2006 IEEE —



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((line* <near/2> (driver* <or> transmitter* <or> receiever* <or> transceive..." Your search matched 4 of 1621473 documents.

Me-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

Display Format:

((((line* <near/2> (driver* <or> transmitter* <or> receiever* <or> transceiver*)) <senter

Citation C Citation & Abstract

Search

» Key

IEEE JNL IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE Standard **IEEE STD**

view selected items Select All Deselect All

Check to search only within this results set

 AC-coupled burst-mode OLT SFP transceiver for gigabit ethernet PON sy Jin-Wook Kwon; Joong-Hee Lee; Jae-Myung Baek; Joo-Chul Cho; Ja-Won Se Park; Jung-Kee Lee; Yun-Kyung Oh; Dong-Hoon Jang;

Photonics Technology Letters, IEEE

Volume 17, Issue 7, July 2005 Page(s):1519 - 1521 Digital Object Identifier 10.1109/LPT.2005.850007

AbstractPlus | References | Full Text: PDF(367 KB) | IEEE JNL

Rights and Permissions

2. Asynchronous and Timing Jitter Insensitive Data Echo Cancellation

Messerschmitt, D.;

Communications, IEEE Transactions on [legacy, pre - 1988] Volume 34, Issue 12, Dec 1986 Page(s):1209 - 1217

AbstractPlus | Full Text: PDF(1008 KB) IEEE JNL

Rights and Permissions

3. Technical and commercial perspective of 40 Gbs transmission

Mamyshev, P.; Rasmussen, C.; Mikkelsen, B.;

Lasers and Electro-Optics Society, 2004. LEOS 2004. The 17th Annual Meetin

Volume 2, 7-11 Nov. 2004 Page(s):685 - 686 Vol.2 Digital Object Identifier 10.1109/LEOS.2004.1363424

AbstractPlus | Full Text: PDF(538 KB) IEEE CNF

Rights and Permissions

4. 40-Gb/s upgradability of 10-GB/S systems

Mamyshev, P.; Rassmussen, C.; Mikkelsen, B.;

Advanced Modulation Formats, 2004 IEEE/LEOS Workshop on

1-2 Jul, 2004 Page(s):23 - 24

Digital Object Identifier 10.1109/ADMF.2004.1321702

AbstractPlus | Full Text: PDF(529 KB) IEEE CNF

Rights and Permissions

Contact Us Privacy &:

© Copyright 2006 IEEE -

Indexed by inspec'



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((differential* <near/3> (driver* <or> transmitter* <or> receiever* <or> tr..." Your search matched 2 of 1621473 documents.

🖾 e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

View Session History **Modify Search New Search** (((differential* <near/3> (driver* <or> transmitter* <or> receiever* <or> transceiver*)) Search Check to search only within this results set » Key Display Format: Citation C Citation & Abstract IEEE Journal or **IEEE JNL** Magazine view selected items Select All Deselect All **IET JNL** IET Journal or Magazine IEEE Conference **IEEE CNF** Proceeding 1. Fast wire per wire X-ray data acquisition system for time-resolved small a **IET Conference** experiments **IET CNF** Proceeding Epstein, A.; Briquet-Laugier, F.; Sheldon, S.; Boulin, C.; Nuclear Science, IEEE Transactions on IEEE STD IEEE Standard Volume 47, Issue 2, Part 1, April 2000 Page(s):70 - 74 Digital Object Identifier 10.1109/23.846120 AbstractPlus | Full Text: PDF(256 KB) IEEE JNL Rights and Permissions 2. Fast wire per wire X-ray data acquisition system for time-resolved small a experiments

Epstein, A.; Briquet-Laugier, F.; Sheldon, S.; Boulin, C.; Real Time Conference, 1999. Santa Fe 1999. 11th IEEE NPSS

14-18 June 1999 Page(s):33 - 37

Digital Object Identifier 10.1109/RTCON.1999.842558

AbstractPlus | Full Text: PDF(424 KB) IEEE CNF

Rights and Permissions

Contact Us Privacy &:

Copyright 2006 IEEE -

		$\overline{}$,
أأ مستمعا تجاساا	I Danie I	1 011	
Hide Items	Restore	i Clear I	Cancel
CONTRACTOR OF THE PROPERTY OF	and the second second	0.00.	U.A.C 74.1

DATE: Thursday, July 26, 2007

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR	
	L5	((swap\$4 or plug\$4 or (line near2 card\$)) near6 ((unbalanc\$3) near3 (driver\$2 or transmitter\$2 or receiver\$2 or transceiver\$2)))	0
· [::	L4	((swap\$4 or plug\$4 or (line near2 card\$)) near6 ((non adj differential\$3) near3 (driver\$2 or transmitter\$2 or receiver\$2 or transceiver\$2)))	0
[3 ⁵]	L3	((swap\$4 or plug\$4 or (line near2 card\$)) near6 (differential\$3 near3 (driver\$2 or transmitter\$2 or receiver\$2 or transceiver\$2)))	20
	L2	((swap\$4 or plug\$4 or (line near2 card\$)) near6 (differential\$3 near3 line\$ near3 (driver\$2 or transmitter\$2 or receiver\$2 or transceiver\$2)))	2
	L1	((swap\$4 or plug\$4) near6 (differential\$3 near3 line\$ near3 (driver\$2 or transmitter\$2 or receiver\$2 or transceiver\$2)))	1

Hide Items Restore Clear Cancel

DATE: Thursday, July 26, 2007

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=PC	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR	,
	L1	((plug\$4 or swap\$4) near4 (differential\$4 near3 (driver\$ or transceiver\$ or transmitter\$ or receiver\$)))	9